Dental Programme 2023





Restorative Dentistry

Composite Filling Materials
Composan bio-esthetic4
Composan bio-esthetic flow 5
Composan LCM 6
Composan LCM flow 7
Composan ceram 8
Compomer Filling Materials
Composan glass9
Glass Ionomer Filling Cements
Medifil
Medifil IX11
Medifil IX forte 12
Medifil IX forte LC
Various Products
Copal Varnish LC14
Cica
Bonding Materials
Compobond 1 15
Compobond LC 15
Compobond U / DCA16
Luting Materials
Aureocem NE
Medicem
Medicem AC
Temporary Materials
Provilat20
Provifil21
Success CD

Lining Materials

Medical	23
Jrbical	24
Jrbical LC	24
Composeal	25

Dental Care

Desensitisation

	•	alants		
Fluo	raphat	pro		 26

Prosthodontics

Denture Relining	Materials	
Softliner	2	ç

Supplementary Materials

Meditray				29
----------	--	--	--	----

Devices

Dispenser Type 2	30
GIC Activator	30
GIC Applicator	30
Application Tips	30
Mixing Tips	30
Intraoral Tips	30

Dear friends and business partners,

We are pleased that you are holding our catalogue in your hands.

This means that you are either one of our existing valued business partners or a potential new customer. No matter whether you are already buying PROMEDICA products or planning on doing so: If you are looking for high quality products with a special focus on aesthetics, which cater to the various everyday requirements of dentists, our product portfolio offers the solutions you have been searching for! All PROMEDICA products are designed to become an integral part of a dentist's everyday work. Our wide product range offers proven classical products, as well as highly innovative products for different and varied application fields.

The broad spectrum of our products and their reliability (owed to our high level of commitment to research and development, as well as our long-standing experience and our strong focus on quality) make them essential for dentists around the world. All our products are manufactured in Germany under highest quality aspects. They are, of course, certified to international standards in accordance with ISO 13485:2016, guaranteeing production and quality control of the highest level.

Since our company was founded in 1983, we have been fulfilling the needs of dentists and their patients. For us, this does not just mean offering aesthetic, high-quality products, but also the best possible service. What does this mean for you?

You can benefit from our strong customer focus, for example when you need support for exhibitions or promotions, when special requirements have to be fulfilled, etc.

For PROMEDICA, stable, reliable and long-standing business partnerships have always been one of the main priorities. Currently, we have business partners in more than 70 countries around the world, and we are more than happy that you are either already part of this international network or want to become a member of it.

Our international team will be more than happy to be of assistance via email info@promedica.de or phone +49 43 21 54 17 3.

We look forward to being in contact with you and hope that you will enjoy browsing our catalogue...

Sincerely,

Your PROMEDICA Team

Composan bio-esthetic

Light-curing nano-ceram composite



INDICATIONS

- For cavities classes I to V
- (I) Reconstruction of traumatically affected anteriors
- Weneering of discoloured anteriors
- Correction of shape and shade for better aesthetics
- (II) Splinting, locking of teeth
- Repair of veneers
- (III) Core build-up
- Composite inlays

CHARACTERISTICS & BENEFITS

- High biocompatibility
- (II) Abrasion-resistant and stable colours
- (I) Non-sticky, easy modelling, good marginal adaptation
- Lower shrinkage than conventional composites
- Proven for years
- (II) Excellent aesthetics
- (III) Tooth-like thermal expansion behaviour

PRESENTATION

Item No. 2820:

SET: 7 x 4 g syringes (shades A1, A2, A3, A3.5, B2, OA2, BL), 4 ml Compobond 1, 5 ml Cica, shade guide, accessories

Item No. 2821: 4 g syringe, shade A1 Item No. 2822: 4 g syringe, shade A2 Item No. 2823: 4 g syringe, shade A3 Item No. 2824: 4 g syringe, shade A3.5 Item No. 2825: 4 g syringe, shade B2 Item No. 2826: 4 g syringe, shade OA2 Item No. 2827: 4 g syringe, shade BL

Composan bio-esthetic flow

Flowable light-curing nano-ceram composite



INDICATIONS

- Fillings with minimally invasive preparation technique
- Fillings of small cavities and extended fissure sealing
- To block out undercuts
- (II) For lining or coating of cavity walls
- Fillings of cavity classes III to V incl.V-shaped defects and cervical caries
- (II) Repair of fillings and veneers
- Luting of translucent prosthetic pieces (e. g. full ceramic crowns etc.)

CHARACTERISTICS & BENEFITS

- Biocompatible and low shrinkage
- Optimal flowability (thixotropic): highly flowable during application and handling, stable when at rest
- Excellent wetting properties
- High material elasticity: stress-absorbing lining material
- (ii) Translucent and matching the shades of Composan bio-esthetic exactly
- Time-saving application

PRESENTATION

Item No. 2811: 1.8 g syringe, shade A1 Item No. 2812: 1.8 g syringe, shade A2 Item No. 2813: 1.8 g syringe, shade A3

Item No. 2681: application tips, 100 pieces *



Composan LCM

Light-curing micro-hybrid composite



INDICATIONS

- (III) Class I to V fillings
- Reconstruction of traumatically affected anteriors
- Shade and shape corrections for improved aesthetic appearance
- (I) Locking and splinting of loose teeth
- Extended fissure sealing for molars and premolars
- Repair of veneers
- Ore build-up under crowns
- (II) Especially suitable for composite inlays

CHARACTERISTICS & BENEFITS

- (I) Universal for all cavity classes
- (II) Good packability and shaping
- (II) High abrasion resistance and stability
- Perfect aesthetics and shade adaptation to the tooth
- (I) Excellent polishability

PRESENTATION

Item No. 2475:

SET 2: 7 x 4 g syringes (shades A1, A2, A3, A3.5, B2, B3, I), 4 ml Compobond 1, 5 ml Cica, shade guide, accessories

Item No. 2462: 4 g syringe, shade A1 Item No. 2463: 4 g syringe, shade A2 Item No. 2464: 4 g syringe, shade A3 Item No. 2465: 4 g syringe, shade A3.5 Item No. 2466: 4 g syringe, shade B2 Item No. 2467: 4 g syringe, shade B3 Item No. 2469: 4 g syringe, shade I

Composan LCM flow

Flowable light-curing micro-hybrid composite



INDICATIONS

- (I) Filling of cavities class III to V
- (I) Filling of small cavities
- (II) Extended fissure sealing
- (II) Repairing composite fillings and veneers
- (I) Lining, coating of cavities
- (I) Luting of full ceramic restorative pieces

CHARACTERISTICS & BENEFITS

- Wery good aesthetics (chameleon effect)
- (I) Fine-flowing and excellent wetting capability
- Thixotropic properties
- (II) High adhesion with Compobond 1
- Precise application
- Economical

PRESENTATION

Item No. 2678: 3 g syringe, shade A2 Item No. 2679: 3 g syringe, shade A3 → 3 g syringes incl. 15 application tips

Item No. 2681: application tips, 100 pieces *



Composan ceram

Glass ceramic micro-hybrid composite



INDICATIONS

- (III) Class I to V fillings
- Reconstruction of traumatically affected anteriors
- Shape and shade corrections for improved aesthetic appearance
- (I) Locking and splinting of loose teeth
- Extended fissure sealing for molars and premolars
- (II) Repair of veneers
- Ore build-up under crowns
- (I) Especially suitable for composite inlays

CHARACTERISTICS & BENEFITS

- (I) Universal for all cavity classes
- Optimal handling
- (II) Outstanding packability and shaping
- Use the contraction of the co
- Excellent aesthetics
- (i) Low polymerisation shrinkage
- Chameleon effect for individual shade adaptation
- Perfect polishability

PRESENTATION / SYRINGES

Item No. 2760:

SET: 7 x 4 g syringes (shades A1, 2 x A2, A3, A3.5, B2, O), 4 ml Compobond 1, 5 ml Cica. accessories

Item No. 2761: 4 g syringe, shade A1 Item No. 2762: 4 g syringe, shade A2 Item No. 2763: 4 g syringe, shade A3 Item No. 2764: 4 g syringe, shade A3.5 Item No. 2766: 4 g syringe, shade B2 Item No. 2770: 4 g syringe, shade O

PRESENTATION / CAPS

Item No. 2711: 25 x 0.25 g caps, shade A1 Item No. 2712: 25 x 0.25 g caps, shade A2 Item No. 2713: 25 x 0.25 g caps, shade A3 Item No. 2714: 25 x 0.25 g caps, shade A3.5 Item No. 2715: 25 x 0.25 g caps, shade B2 Item No. 2716: 25 x 0.25 g caps, shade B3

Composan glass

Light-curing compomer





INDICATIONS

- (II) Restoration of deciduous teeth
- Filling of cavity classes III and V
- (II) Veneering of discoloured anteriors
- (II) Extended pit and fissure sealing
- Long-term temporary restoration of class I and II cavities

CHARACTERISTICS & BENEFITS

- Perfect modelling and polishing properties
- (ii) Very good adhesion to dentine and enamel with the self-etch bond Compobond NE
- High colour stability and translucency for permanent aesthetics
- (II) Continuous fluoride release
- High abrasion resistance, compressive and transverse strength

PRESENTATION

Item No. 2691: 25 x 0.25 g caps, shade A2 **Item No. 2692:** 25 x 0.25 g caps, shade A3

Medifil

Glass ionomer filling cement for classes I, III and V



INDICATIONS

- (i) For restorations of deciduous teeth (especially class I)
- Repair of V-shaped defects and enamel erosions as well as root erosions in the cervical area incl. class V fillings
- (II) Cavities caused by carious lesions
- (i) Fillings of class III and small fillings of class I (incl. extended fissure sealing) as well as build-up fillings for crowns, linings

CHARACTERISTICS & BENEFITS

- Improved glass ionomer technology
- Spreadable consistency
- (II) Good marginal adaptation
- (II) Very good wetting behaviour
- (II) Good aesthetics in three shades
- (II) Continuous fluoride release

PRESENTATION

Item No. 2601:

SET: 3 x 15 g powder (shades A1, A2, A3), 10 ml liquid, 3 ml Copal Varnish LC, shade guide, accessories

Item No. 2602: 15 g powder shade A1, 10 ml liquid Item No. 2606: 15 g powder shade A2, 10 ml liquid Item No. 2603: 15 g powder shade A3, 10 ml liquid

Medifil IX

Packable glass ionomer filling cement



INDICATIONS

- (II) Restoration of V-shaped defects and cervical enamel or root erosions including class V cavities
- (II) Restoration of deciduous teeth
- (II) Restorations of class II cavities (not occlusion-bearing)
- Build-up fillings and linings
- (I) Temporary long-term treatment of class I and II cavities
- (III) Core build-up

CHARACTERISTICS & BENEFITS

- Wery good packability
- Stable fillings without marginal gaps
- Wery high abrasion resistance, compressive and transverse strength
- (III) Tooth-like aesthetic translucency
- (II) Good aesthetics in two shades
- Mon-sticky consistency
- (II) Continuous high fluoride release
- Biocompatible

PRESENTATION

Item No. 2625: 48 capsules, shade A1 Item No. 2626: 48 capsules, shade A3

Medifil IX forte

Glass ionomer filling material



INDICATIONS

- Restorations of non occlusion-bearing class I cavities
- Semi-permanent restorations of class I and II cavities
- Restorations of class III cavities
- Restorations of class V cavities
- (II) Restorations of cervical lesions
- Restorations of root caries
- (II) Restorations of deciduous teeth
- Base / liner
- (III) Core build-up
- (II) Temporary restorations

CHARACTERISTICS & BENEFITS

- Variable mixing time for adjustment of consistency
- The capsule design reaches smaller cavities and difficult-to-access areas in the mouth
- (II) Easy activation without activator
- Can be modelled immediately after insertion without sticking to the instrument
- Perfect marginal adaptation and easy application
- High compressive strength and abrasion resistance

PRESENTATION

Item No. 2607:

SET: 50 application capsules (shades 10 x A1, 10 x A2, 30 x A3)

Item No. 2608: 50 capsules, shade A1 Item No. 2609: 50 capsules, shade A2 Item No. 2610: 50 capsules, shade A3

Medifil IX forte LC

Glass ionomer filling material



INDICATIONS

- Restorations of class III and V (primarily root caries and cervical fillings)
- Restorations of deciduous teeth
- (II) Small fillings of class I
- (I) Temporary fillings
- (II) Core build-ups
- Unings

CHARACTERISTICS & BENEFITS

- Excellent working time and the setting time is individually adjustable by light-curing
- No need to condition the dental hard tissue
- (II) Radiopaque
- Immediately packable after placement in the cavity
- Open Does not stick to the instrument and is easy to model
- (I) No varnish required fill, polymerise and finish
- Fluoride release
- (I) In deep cavities: Suitable alternative to the CBF technique (composite bonded to flow)

PRESENTATION / CAPS

Item No. 2830:

SET: 50 application capsules (shades 10 x A1, 10 x A2, 30 x A3)

Item No. 2831: 50 capsules, shade A1 Item No. 2832: 50 capsules, shade A2 Item No. 2833: 50 capsules, shade A3 Item No. 2834: 50 capsules, shade A3.5 Item No. 2835: 50 capsules, shade B1

PRESENTATION / HANDMIX

Item No. 2836: 12 g powder, 5 ml liquid, shade A1 Item No. 2837: 12 g powder, 5 ml liquid, shade A2 Item No. 2838: 12 g powder, 5 ml liquid, shade A3

Copal Varnish LC

Light-curing varnish for GICs



INDICATIONS

- Protecting glass ionomer surfaces against the effects of moisture and dehydration immediately after placement
- Sealing and smoothing of glass ionomer materials surfaces after polishing
- Sealing of the cervical margins of cementations immediately after removal of excess material
- Sealing glass ionomer liners / build-up restorations before taking impressions

CHARACTERISTICS & BENEFITS

(II) Permanent protection and safe sealing

PRESENTATION

Item No. 2619: 3 ml liquid

Cica

Etching gel



INDICATIONS

Etching gel for use in the enamel etching or in the total-etch technique

CHARACTERISTICS & BENEFITS

- (III) Contains 35 % phosphoric acid
- Stable, non-dripping gel
- Blue colouring for visual monitoring during application

PRESENTATION

Item No. 2429: 5 ml syringe etching gel

Item No. 2495: application tips, 30 pieces *



Compobond 1

Light-curing one-component bonding



INDICATIONS

Direct restorations of all cavity classes with all light-curing restoratives

CHARACTERISTICS & BENEFITS

- (I) 'Stick-immediately effect' for easy application of the restorative
- One-component one application
- (II) Excellent adhesion
- Perfect physical properties
- Wet-bonding technique

PRESENTATION

Item No. 2676: 4 ml liquid

Compobond LC

Light-curing enamel bond



INDICATIONS

Bonding agent for use between enamel and light-curing composite

CHARACTERISTICS & BENEFITS

- Quick and easy application
- (III) One-component material

PRESENTATION

Item No. 2415: 3 ml liquid

Compobond U

Universal adhesive



INDICATIONS

- (ii) Direct and indirect restorations using any light-curing methacrylate-based restorative, core build-up or luting composite
- Intraoral repair of fillings, all-ceramic restorations and ceramic veneers without additional primer
- (II) Treatment of hypersensitive tooth necks
- Protective varnish for glass ionomer cement restorations
- Sealing of cavities prior to temporary luting or prior to amalgam restorations
- (In combination with Compobond U DCA:
 - Direct and indirect restorations using any self-curing or dual-curing methacrylate-based restorative, core build-up or luting composite
 - Luting of root posts with dual-curing or self-curing luting composites

PRESENTATION

Item No. 2489: 5 ml Compobond U

Item No. 2492: 2 ml Compobond U DCA

CHARACTERISTICS & BENEFITS

- Secure adhesion to various materials such as metals, zirconium dioxide or aluminium oxide, as well as silicate ceramics, without additional primer
- (II) Can be applied with or without phosphoric acid etching
- Perfectly suitable for direct or indirect restorations
- Application in one layer => 35 seconds working time only

Aureocem NE

Self-adhesive, dual-curing composite-based luting cement



INDICATIONS

- Oefinitive luting of inlays, onlays, crowns and bridges (not Maryland bridges) made from ceramic, zirconium dioxide, metal and composites
- Definitive luting of metal, ceramic, zirconium dioxide and fibre-reinforced posts

CHARACTERISTICS & BENEFITS

- (i) No etching / no bonding → fast working
- (II) Secure adhesion to tooth and restoration
- (II) Easy handling
- Also suitable for zirconium dioxide
- Endo-mixing tips in each package for the most precise application even in the root canal
- (II) Simple removal of excess material
- Use the contract of the con
- (II) Minimal film thickness of 10 µm for precisely fitted luting without elevating the bite
- Odourless

PRESENTATION

Item No. 2705: SET: 3 x 5 g auto-mix syringes (shades U, T, WO), mixing tips, intraoral tips

Item No. 2706: 5 g auto-mix syringe, shade U (universal), mixing tips, intraoral tips **Item No. 2707:** 5 g auto-mix syringe, shade T (transparent), mixing tips, intraoral tips **Item No. 2708:** 5 g auto-mix syringe, shade WO (white-opaque), mixing tips, intraoral tips

Item No. 2703: mixing tips, 50 pieces (tapered cannulae) *

Item No. 2704: mixing tips, 50 pieces (blunt cannulae) **

Item No. 2799: intraoral tips (for 2704), 50 pieces ***



Medicem

Glass ionomer luting cement



INDICATIONS

(I) Luting of crowns, bridges, inlays, onlays, pins, posts and orthodontic bands

CHARACTERISTICS & BENEFITS

- Easy application
- Biocompatible
- (I) Low solubility in the mouth
- (I) Low acidity

PRESENTATION

Item No. 2438: 35 g powder, 15 ml liquid Item No. 2451: 15 g powder, 7 ml liquid

Medicem AC

Glass ionomer luting cement



INDICATIONS

- (II) Luting of:
 - metal-based crowns, bridges, inlays and onlays
 - high-strength all-ceramic crowns and bridges
 - metal-based and high-strength all-ceramic crowns and bridges on implant abutments
 - metal root posts or indirect metal post core build-ups
 - prefabricated steel crowns
 - · orthodontic bands

CHARACTERISTICS & BENEFITS

- Low film thickness
- Sizeable amount available per capsule, also suitable for large restorations
- (II) Very good wetting behaviour
- Stable
- High level of translucency for aesthetic results
- (II) Simple removal of excess material
- Continuous release of fluoride

PRESENTATION

Item No. 2436: 50 capsules

Provilat

Temporary eugenol-free luting cement



INDICATIONS

- (I) Temporary filling of small one-surface cavities
- Temporary luting of inlays, onlays, crowns, partial crowns, bridges, attachments and posts

CHARACTERISTICS & BENEFITS

- Eugenol-free
- Semi-elastic properties for safe adhesion of the temporary
- (III) Calcium hydroxide
 - · supports the formation of tertiary dentine
 - bacteriostatic
- Provilat in the auto-mix syringe allows a fast and direct application without mixing

PRESENTATION

Item No. 2444:

Paste / Paste system:

25 g base, 25 g catalyst in tubes

Item No. 2535:

Auto-mix syringe:

5 ml auto-mix syringe, mixing tips

Item No. 2536:

brown mixing tips for Provilat auto-mix syringe, 50 pieces *



Provifil

Light-curing, temporary filling material



INDICATIONS

- Temporary fillings
- Temporary sealing of cavities, especially in inlay / onlay technique

CHARACTERISTICS & BENEFITS

- No damage to preparation boundaries
- Ourable and saliva-proof
- Easy to place easy to remove in one piece
- (I) Time-saving and economical
- Specifically useful in inlay / onlay technique

PRESENTATION

Item No. 2537: 2 x 4 g syringes

Success CD

Temporary crown and bridge material



INDICATIONS

(i) Fabrication of aesthetic temporary crowns, bridges, inlays and onlays

CHARACTERISTICS & BENEFITS

- (II) Less than 1 min. setting time in the mouth
- Wery economical due to minimal material loss
- (II) Natural fluorescence
- Simple and fast working steps
- (II) Easy to shape and polish
- Use the contraction of the co
- (I) High stability of shape and shade

PRESENTATION

Item No. 2740: 50 ml cartridge shade A1

Item No. 2741: 50 ml cartridge shade A2

Item No. 2742: 50 ml cartridge shade A3

→ all 50 ml cartridges incl. mixing tips

Item No. 2590: blue mixing tips, 50 pieces *



Medical

Calcium hydroxide paste



INDICATIONS

- (ii) Indirect capping for the treatment of caries profunda
- Oirect capping when the pulp is opened or a pulpotomy is performed
- Lining of cavities to prevent exposure to acidic media when using cements
- For temporary filling of root canals

CHARACTERISTICS & BENEFITS

- (Immediately ready for use
- Suitable for use under any lining or restorative material
- (II) Effective pulp protection
- Calcium hydroxide content of 45 %
- Promotes the formation of tertiary dentine
- (I) With high pH value (12.5), known for bacteriostatic effect
- (III) Radiopaque

PRESENTATION

Item No. 2551: 2 ml syringe

Urbical

Self-curing calcium hydroxide paste system



INDICATIONS

- (Indirect pulp capping
- (I) Linings under all filling materials

CHARACTERISTICS & BENEFITS

- (I) Effective protection of the pulp
- (III) Easy application
- (III) Contains 26 % calcium hydroxide
- (I) Suitable working time
- (II) Short setting time
- (III) Radiopaque
- (II) Supports the formation of tertiary dentine

PRESENTATION

Item No. 2441: 13 g base, 11 g catalyst

Urbical LC

Light-curing radiopaque calcium hydroxide



INDICATIONS

- (Indirect pulp capping)
- (I) Linings under all filling materials

CHARACTERISTICS & BENEFITS

- (I) Effective protection of the pulp
- High level of acid-resistance, protection when applying the total-etch technique
- (II) Supports the formation of tertiary dentine
- Ready-to-use one-component material

PRESENTATION

Item No. 2493: 2 x 2 ml syringes,

20 application tips

Item No. 2634: application tips, 100 pieces *



Composeal

Light-curing glass ionomer composite liner



INDICATIONS

- (I) Lining under all types of filling material
- (I) Extended fissure sealing
- (II) Restoration of smaller lesions

CHARACTERISTICS & BENEFITS

- Ready-to-use one-component material
- (I) Quick and hygienic application
- (I) High compressive strength (226 MPa)
- Time-saving: light-curing in seconds
- (II) Fluoride release
- (I) High biocompatibility
- (III) Radiopaque

PRESENTATION

Item No. 2550: 2 x 2 ml syringes, 20 application tips

Item No. 2634: application tips, 100 pieces *



Composan protect

Light-curing desensitising varnish



INDICATIONS

- Treatment of hypersensitive dentine
- Treatment of cervical areas and crown margins
- (II) Treatment of cervical areas after professional cleaning and calculus removal

CHARACTERISTICS & BENEFITS

- Permanent elimination of hypersensitivity
- (II) Biocompatible
- Special filler technology for high abrasion resistance
- Reliable adhesion
- Fluoride release

PRESENTATION

Item No. 2424: 4.5 ml varnish, accessories

Fluoraphat pro

Dental desensitising varnish with fluoride



INDICATIONS

- Treatment of hypersensitive teeth
- (II) Treatment of sensitive root surfaces

CHARACTERISTICS & BENEFITS

- (III) Optimal for cases of MIH
- Moisture tolerant
- Esthetic, tooth-shaded varnish
- (II) Pleasant melon flavour
- Ideal for treating cervical areas after professional cleaning and calculus removal
- (I) Economical application in thin layers, high yield

PRESENTATION

Item No. 2725: 10 ml tube melon flavour

Dental Care: Desensitisation

Fisseal

Light-curing pit and fissure sealant with fluorides



INDICATIONS

- Sealing of pits, fissures and occlusal surfaces for caries prophylaxis
- (I) Sealing of composite and cement fillings (protection against moisture)
- (II) Facing of damaged enamel surfaces
- Repair of small defects in composite and amalgam fillings
- Anchoring of orthodontic appliances
- (II) Restoration of small carious lesions

CHARACTERISTICS & BENEFITS

- (II) Excellent flow properties and low viscosity
- (II) Continuous fluoride release
- (II) Perfect marginal adaptation
- White colour for application control
- (II) High stability and good adhesion to enamel

PRESENTATION

Item No. 2472: 2 x 2 ml syringes, application tips **Item No. 2637:** application tips, 100 pieces *



Dental Care: Fissure Sealants 27

Softliner

Chairside soft denture relining material



INDICATIONS

- Permanently soft relining for total and partial dentures
- (II) To eliminate pressure spots
- (II) To dam the palatal vibrating line
- In cases of flabby ridges and / or insufficient adhesion
- To cushion sharp-edged alveolar processes
- To support the healing process in implantology

CHARACTERISTICS & BENEFITS

- Complete relining in one single session (chairside)
- Special adhesive for extreme bonding of silicone to denture
- Excellent adaptation to fine details for a precise fit of the denture
- Easy and fast application of direct and indirect relining
- Biocompatible (methacrylate-free)
- (II) Remains permanently soft
- For all PMMA based dentures
- (I) Stable, aesthetic colour (chameleon effect)
- Meutral odour and taste
- Resistant against standard denture cleansers

PRESENTATION

Item No. 2580:

SET: 50 ml cartridge, 10 ml adhesive, 10 ml glazing base / catalyst, mixing tips, accessories

Item No. 2738: pink mixing tips, 50 pieces *



Meditray

Light-curing tray material



INDICATIONS

- (II) Fabrication of individual trays from contoured plates for maxillae
- (I) Fabrication of bases for wax models of complete and partial dentures

CHARACTERISTICS & BENEFITS

- Mon-sticky consistency
- Permanent stability and compressive strength
- (II) Pleasant peppermint flavour
- (II) Simple and time-saving shaping by hand
- Light-cured with halogen or any UV-A lights

PRESENTATION

Item No. 2553: 50 plates for maxillae in pink

Devices

Dispenser Type 2



Dispenser to extrude dental materials from 50 ml cartridges

GIC Activator



For activating application capsules

GIC Applicator



For direct administration of glass ionomer cement restorative and luting materials in application capsules

Item No. 2668: GIC Activator Item No. 2673: GIC Applicator

Item No. 2726: Dispenser

item No. 2008. GIC Activator



Item No. 2495: 30 application tips



Item No. 2634: 100 application tips

Application Tips



Item No. 2637: 100 application tips



Item No. 2681: 100 application tips



Item No. 2536: 50 brown mixing tips



Item No. 2703: 50 mixing tips, tapered canulae



Item No. 2704: 50 mixing tips, blunt canulae

Mixing Tips



Item No. 2590: 50 blue mixing tips



Item No. 2738: 50 pink mixing tips



Item No. 2798: 50 turquoise mixing tips

Intraoral Tips



Item No. 2739: 50 intraoral tips

A		
Application Tips 30	Intraoral Tips	30
Aureocem NE 17		
	3.4	
C	M	
Cica14	Medical	23
Compobond 1 15	Medicem	18
Compobond LC	Medicem AC	19
Compobond U / DCA 16	Medifil	10
Composan bio-esthetic 4	Medifil IX	1
Composan bio-esthetic flow 5	Medifil IX forte	12
Composan ceram 8	Medifil IX forte LC	13
Composan glass9	Meditray	29
Composan LCM 6	Mixing Tips	30
Composan LCM flow7		
Composan protect		
Composeal	Р	
Copal Varnish LC14	Provifil	21
•	Provilat	20
D		
Dispenser Type 2 30	S	
	Softliner	28
	Success CD	22
F		
Fisseal		
Fluoraphat pro	U	
•	Urbical	24
	Urbical LC	
G		
GIC Activator		

GIC Applicator...... 30

Dental Programme 2023

Available from:

PROMEDICA Dental Material GmbH

Domagkstraße 31 24537 Neumünster / Germany

Phone: +49 43 21 54 17 3 eMail: info@promedica.de Internet: www.promedica.de

